






SVS側溝カセットウォール本体300構造図



目地部詳細図




ジョイント部詳細図



寸法＊重量表

呼 び 名	寸 法 (mm)										配 筋										参考 重量 (kg)
											側 壁 部				大 梁 部						
	主 筋		配 力 筋		主 筋 ①		主 筋 ②		配 力 筋												
	径(mm)	数	径(mm)	数	径(mm)	数	径(mm)	数	径(mm)	数											
300 × 300	420	445	300	300	95	80	50	60	50	100	5.0	14	3.2	4	D 6	5	D10	3	4.0	4	343
× 400	420	545	300	400	95	80	50	60	50	100	D 6	11	4.0	4	D 6	5	D10	3	4.0	4	399
× 500	420	645	300	500	95	80	50	60	50	100	D 6	11	4.0	5	D 6	5	D10	3	4.0	4	456
× 600	420	745	300	600	95	80	50	60	50	100	D 6	12	4.0	5	D 6	5	D10	3	4.0	4	512
× 700	420	845	300	700	95	80	50	60	50	100	D 6	14	4.0	6	D 6	5	D10	3	4.0	4	569
× 800	420	945	300	800	95	80	50	60	50	100	D 6	16	4.0	6	D 6	5	D10	3	4.0	4	625
× 900	420	1045	300	900	95	80	50	60	50	100	D 6	18	4.0	7	D 6	5	D10	3	4.0	4	681
× 1000	420	1145	300	1000	95	80	50	60	50	100	D 6	21	4.0	8	D 6	5	D10	3	4.0	4	738
× 1100	420	1245	300	1100	95	80	50	60	50	100	D10	11	5.0	9	D 6	5	D10	3	4.0	4	794


SVS側溝カセットウォール本体400構造図



寸法 * 重量表

呼 び 名	寸 法 (mm)										配 筋										参考 重量 (kg)
											側 壁 部				大 梁 部						
	主 筋		配 力 筋		主 筋 ①		主 筋 ②		配 力 筋												
	径(mm)	数	径(mm)	数	径(mm)	数	径(mm)	数	径(mm)	数											
400 × 400	530	560	400	400	110	95	60	65	55	110	D 6	11	4.0	4	D 6	7	D10	3	4.0	5	478
× 500	530	660	400	500	110	95	60	65	55	110	D 6	11	4.0	5	D 6	7	D10	3	4.0	5	539
× 600	530	760	400	600	110	95	60	65	55	110	D 6	12	4.0	5	D 6	7	D10	3	4.0	5	600
× 700	530	860	400	700	110	95	60	65	55	110	D 6	14	4.0	6	D 6	7	D10	3	4.0	5	661
× 800	530	960	400	800	110	95	60	65	55	110	D 6	16	4.0	6	D 6	7	D10	3	4.0	5	722
× 900	530	1060	400	900	110	95	60	65	55	110	D 6	18	4.0	7	D 6	7	D10	3	4.0	5	783
× 1000	530	1160	400	1000	110	95	60	65	55	110	D 6	21	4.0	8	D 6	7	D10	3	4.0	5	844
× 1100	530	1260	400	1100	110	95	60	65	55	110	D10	11	5.0	9	D 6	7	D10	3	4.0	5	906
× 1200	530	1360	400	1200	110	95	60	65	55	110	D10	12	5.0	9	D 6	7	D10	3	4.0	5	967


SVS側溝カセットウォール本体500構造図



寸法 * 重量表

呼 び 名	寸 法 (mm)										配 筋										参考 重量 (kg)
											側 壁 部				大 梁 部						
	主 筋		配 力 筋		主 筋 ①		主 筋 ②		配 力 筋												
	B	H	a	c	c'	c''	d	e	s	s'	径(mm)	数	径(mm)	数	径(mm)	数	径(mm)	数	径(mm)	数	
500 × 400	640	575	500	400	125	110	65	70	60	120	D 6	13	4.0	4	D 6	8	D10	3	4.0	6	563
× 500	640	675	500	500	125	110	65	70	60	120	D 6	14	4.0	5	D 6	8	D10	3	4.0	6	629
× 600	640	775	500	600	125	110	65	70	60	120	D 6	14	4.0	5	D 6	8	D10	3	4.0	6	695
× 700	640	875	500	700	125	110	65	70	60	120	D 6	14	4.0	6	D 6	8	D10	3	4.0	6	760
× 800	640	975	500	800	125	110	65	70	60	120	D 6	14	4.0	7	D 6	8	D10	3	4.0	6	826
× 900	640	1075	500	900	125	110	65	70	60	120	D 6	16	4.0	7	D 6	8	D10	3	4.0	6	892
× 1000	640	1175	500	1000	125	110	65	70	60	120	D 6	18	4.0	8	D 6	8	D10	3	4.0	6	958
× 1100	640	1275	500	1100	125	110	65	70	60	120	D 6	21	4.0	9	D 6	8	D10	3	4.0	6	1024
× 1200	640	1375	500	1200	125	110	65	70	60	120	D10	11	5.0	9	D 6	8	D10	3	4.0	6	1089
× 1300	640	1475	500	1300	125	110	65	70	60	120	D10	13	5.0	10	D 6	8	D10	3	4.0	6	1155
× 1400	640	1575	500	1400	125	110	65	70	60	120	D10	16	5.0	11	D 6	8	D10	3	4.0	6	1221

SVS側溝カセットウォール本体600構造図



寸法 * 重量表

呼 び 名	寸 法 (mm)										配 筋										参考重量 (kg)
											側 壁 部				大 梁 部						
	主 筋		配 力 筋		主 筋 ①		主 筋 ②		配 力 筋												
	径(mm)	数	径(mm)	数	径(mm)	数	径(mm)	数	径(mm)	数											
600 × 500	750	690	600	500	140	125	70	75	65	130	D 6	14	4.0	5	D10	4	D10	3	5.0	7	727
× 600	750	790	600	600	140	125	70	75	65	130	D 6	14	4.0	5	D10	4	D10	3	5.0	7	798
× 700	750	890	600	700	140	125	70	75	65	130	D 6	14	4.0	6	D10	4	D10	3	5.0	7	868
× 800	750	990	600	800	140	125	70	75	65	130	D 6	14	4.0	7	D10	4	D10	3	5.0	7	939
× 900	750	1090	600	900	140	125	70	75	65	130	D 6	16	4.0	7	D10	4	D10	3	5.0	7	1009
× 1000	750	1190	600	1000	140	125	70	75	65	130	D 6	18	4.0	8	D10	4	D10	3	5.0	7	1080
× 1100	750	1290	600	1100	140	125	70	75	65	130	D 6	21	4.0	9	D10	4	D10	3	5.0	7	1150
× 1200	750	1390	600	1200	140	125	70	75	65	130	D10	11	5.0	9	D10	4	D10	3	5.0	7	1221
× 1300	750	1490	600	1300	140	125	70	75	65	130	D10	13	5.0	10	D10	4	D10	3	5.0	7	1291
× 1400	750	1590	600	1400	140	125	70	75	65	130	D10	16	5.0	11	D10	4	D10	3	5.0	7	1362
× 1500	750	1690	600	1500	140	125	70	75	65	130	D10	18	5.0	11	D10	4	D10	3	5.0	7	1432